



SIGNAGE LEGEND	
SYMBOL	DESCRIPTION
AP	ACCESSIBLE PARKING SIGN
AS	ACCESSIBILITY SYMBOL SIGN
ASL	ACCESSIBILITY PATH TO LEFT SIGN
ASR	ACCESSIBILITY PATH TO RIGHT SIGN
EXIT	ILLUMINATED EXIT SIGN
FE	FIRE EXTINGUISHER RATED 2A10BC
FEK	FIRE EXTINGUISHER RATED 40BC OR K
MRD	MEN'S RESTROOM DOOR SIGN
MRW	MEN'S RESTROOM WALL SIGN
NAE	NON-ACCESSIBLE EXIT SIGN
OCC	OCCUPANT LOAD SIGN
TE	TACTILE "EXIT" SIGN
TER	TACTILE "EXIT ROUTE" SIGN
TERD	TACTILE "EXIT RAMP DOWN" SIGN
TERU	TACTILE "EXIT RAMP UP" SIGN
TESD	TACTILE "EXIT STAIR DOWN" SIGN
TESU	TACTILE "EXIT STAIR UP" SIGN
TTE	TACTILE "TO EXIT" SIGN
UPS	UNAUTHORIZED PARKING SIGN

GENERAL NOTES -

G01 POST SIGN AT PARKING LOT ENTRY PER 2-A501-PARKING-UNAUTHORIZED VEHICLES

G02 COMMERCIAL-GRADE, NON-RESIDENTIAL AUTOMATIC LOCKS ON ALL ENTRY AND EXIT DOORS AND ON ENTRANCES TO LIMITED ACCESS AREAS; LOCKS WILL BE SHIELDED WITH METAL PLATES TO PREVENT MANIPULATION FROM THE OUTSIDE. LOCKS WILL BE FAIL-SECURE ELECTRIC LOCKS, MAGNETIC LOCKS, ELECTRIFIED PANIC BARS, OR ANOTHER SECURED LOCKING MECHANISM TO GUARANTEE THAT ALL DOORS WILL REMAIN LOCKED DURING POWER OUTAGE OR SYSTEM MALFUNCTION

K07 PLANTS TO MATCH (E). TIE IRRIGATION TO (E) SYSTEM

K08 HANDRAILS PER 8-A505 AND 3-A505. HANDRAIL POSTS TO BE SOLID 1X1 @ 60" OC

K09 ACCESSIBLE PARKING PER 2-PARKING-UNAUTHORIZED VEHICLES, 3-ARCH DETAIL SPARKING-SIGNAGE, 4-PARKING-VAN ACCESSIBLE ON A501

K10 RAMP CURB/WALL PER 7-C501-CONC-RETAINING WALL 4-FT SMALL TOE

K11 HANDRAIL PER 8-A505=CONS-RAMP & GUARD COMMERCIAL & 3-A505-

APN: 031-303-006
A: 6,050 sq ft

NEIGHBORING BUSINESS
APN: 031-303-005
A: 5,050 sq ft

APN: 031-303-004
A: 5,050 sq ft

APN: 031-303-024
A: 9,100 sq ft

APN: 031-303-023
A: 10,100 sq ft

REMODEL 1ST-STORY
A: 3,836 sq ft

1ST-STORY
Gross: 4,698 sq ft
Net: 4,679 sq ft

PARKING EASEMENT
CARS INDICATE 819 REDDICK SPACES

PARKING EASEMENT
CARS INDICATE 819 REDDICK SPACES

